

EAST 12/20/04

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	32736	("709").CLAS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/13 16:29
S2	1020	(707/204).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/16 11:33
S3	3135	(713/201).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/13 16:29
S4	1	S1 and S2 and S3	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/13 16:29
S5	126	S1 and S2	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/13 16:29
S6	96	S5 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:34
S7	50	S6 and (backup or (backing adj up))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:39
S8	7	S7 and secur\$3 same (rout\$3 or switch\$3 or path)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/13 16:31

S9	5	S6 and (backup or (backing adj up)) near6 (secur\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/15 10:45
S10	396	(backup or (backing adj up) or archiv\$3) same (switch\$3 or rout\$3 or path) same (reserv\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/15 10:57
S11	249	S10 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/15 10:47
S12	32794	("709").CLAS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/15 10:47
S13	1021	(707/204).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/15 10:47
S14	23	S11 and (S12 or S13)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/15 10:47
S15	45	(backup or (backing adj up) or archiv\$3) same (switch\$3 or rout\$3 or path) same (reserv\$3) and (san or (storage adj2 network))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/15 11:01
S16	27	S15 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/15 11:01
S17	46	(backup or (backing adj up) or archiv\$3) near4 manager and (switch\$3 or rout\$3 or resources) same (reserv\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/15 15:12

S18	22	S17 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/15 11:01
S19	6	(backup or (backing adj up) or archiv\$3) near4 manager same (reserv\$6)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/15 15:32
S20	21	("5720026").URPN.	USPAT	OR	ON	2004/12/15 15:13
S22	2113	(backup or (backing adj up) or archiv\$3) same (reserv\$6)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 09:51
S24	1400	S22 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/15 15:34
S25	11	("5745694" "5884037" "6021263" "6041359" "6058113" "6104700" "6385169" "6434624" "6519254" "6563793" "6578076").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2004/12/15 15:46
S26	206	(backup or archiv\$3) adj manager	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 09:52
S27	114	S26 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 10:11
S28	5055	(backup or (backing adj up) or archiv\$3) same redundan\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 10:09
S29	69	(backup or (backing adj up) or archiv\$3) same redundan\$3 adj (path or rout\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 10:13

S30	33	S29 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 10:11
S31	302	((backing adj up) or ((backup or archive) adj (operation or method or job))) same redundan\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 11:50
S32	183	S31 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 10:15
S33	6	("5418664" "5572659" "5673382" "6035412" "6304980" "6417977").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2004/12/16 10:45
S34	58	("5673382").URPN.	USPAT	OR	ON	2004/12/16 11:21
S35	21	S34 and (fibre adj channel)	USPAT	OR	ON	2004/12/16 11:22
S36	6	S34 and (fibre adj channel) same switch	USPAT	OR	ON	2004/12/16 11:22
S37	1022	(707/204).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/16 11:33
S38	1722	(714/6,7).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/16 11:34
S39	916	(711/162).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/16 11:34
S40	4067	(709/238,244,229).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/16 11:41

S41	3169	S37 or S38 or S39	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 11:35
S42	19	S40 and S41	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 11:35
S43	1976	(709/238,244).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/16 11:41
S44	250	S43 and ((back\$3 adj up) or (backup))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 11:42
S45	152	S44 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 12:27
S46	1201	(select\$3 or choos\$3 or determin\$3) with (switch or router) same (form\$3 near4 (route or path))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 11:48
S47	16	(select\$3 or choos\$3 or determin\$3) with (switch or router) same (form\$3 near4 (route or path)) same (redundan\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 11:50
S48	3608	(backup or archive) adj (operation or method or job or processing or procedure)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 11:54
S49	2	S46 and S48	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 11:51
S50	1	("2002/0144069").URPN.	USPAT	OR	ON	2004/12/16 11:52

S51	11	("20020144069" "20020146035" "20020156942" "20020199073" "20030149830" "20030167312" "20030204597" "20030212700" "5113354" "5966733" "6650656").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2004/12/16 11:52
S52	23	(backup or archive) adj (operation or method or job or processing or procedure) near6 parallel	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 12:15
S53	272	(backup or archive) adj (operation or method or job or processing or procedure) near6 fail\$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 12:16
S54	356	(back\$1up or archive) adj (operation or method or job or processing or procedure) near6 fail\$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 12:16
S55	15	(back\$1up or archive) adj (operation or method or job or processing or procedure) near6 fail\$4 same (multiple or parallel)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 12:26
S56	7	(back\$1up or archive) adj (operation or method or job or processing or procedure) near6 fail\$4 same (simultaneous\$2)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 12:27
S57	31	(back\$1up or archive) adj (operation or method or job or processing or procedure) near6 (simultaneous\$2)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 12:27
S58	17	S57 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/16 12:27
S59	3	(replicat\$5), near4 manager same (switch\$3 or rout\$3 or resources) same (reserv\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:33

S60	15	("20030014432" "20030014433" "20030014523" "20030033327" "20030061399" "20030074446" "20030084116" "20030084198" "20030088713" "20030105840" "6002085" "6058401" "6453326" "6571232" "6625613").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2004/12/17 11:32
S61	88	(replicat\$5) same (switch\$3 or rout\$3 or resources) same (reserv\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:40
S62	39	S61 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:34
S63	306481	(backup or (back\$3 adj up) or replicat\$5)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 12:11
S64	14051	(switch\$3 or rout\$3 or resources) near5 (reserv\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:40
S65	46210	(switch\$3 or rout\$3 or resources) near5 (reserv\$3 or secur\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:40
S66	3233	S63 and S65 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:41
S67	32888	("709").CLAS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/17 11:41

S68	1022	(707/204).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/17 11:41
S69	1722	(714/6,7).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/17 11:41
S70	916	(711/162).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/17 11:41
S71	35794	S67 or S68 or S69 or S70	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:41
S72	464	S66 and S71	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:41
S73	33350	(backup or (back\$3 adj up) or replicat\$5) near4 (information or data or database)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 13:36
S74	2	S73 and S61 and S65 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:43
S75	2740	(fault adj tolerant) with (information or data or database)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:57
S76	98807	(execut\$3) with (multiple or plural\$4)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:55

S77	410	S76 and S75	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:56
S78	302	S77 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:56
S79	83	S78 and S71	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:56
S80	1410	(backup same plural\$3).clm.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:59
S81	55	S75 and S80	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:58
S82	27	S81 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 11:58
S83	238	(backup same plural\$3 same (path or rout\$3 or switch\$3)). clm.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 12:00
S84	11	S83 and S75	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 12:00
S85	539	(backup or (back\$3 adj up)) near6 replicat\$5	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 12:14
S86	267	S85 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 12:11

S87	123	S86 and S71	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 12:11
S88	0	(backup or (back\$3 adj up)) near6 replicat\$5 same (multiple or plural\$3) near6 (path or route)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 12:15
S89	371	(backup or (back\$3 adj up)) same (multiple or plural\$3) near6 (path or route)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 12:15
S90	107	S89 and S73	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 12:15
S91	58	S90 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 13:35
S92	532	(709/239).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/17 13:36
S93	404	S92 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 14:30
S94	91	S93 and (reserv\$5)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 13:42
S95	17	S94 and (backup or (back\$3 adj up) or replicat\$5) near4 (information or data or database)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 15:32

S96	40	S93 and (reserv\$5) same (switch\$3 or route\$1 or path)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 14:29
S97	10	S93 and (redundant) adj (route or path)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 14:43
S98	0	S93 and (redundant) adj (transmission or transfer)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 14:30
S99	60	S67 and (redundant) adj (transmission or transfer)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 14:30
S100	32	S99 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 14:30
S101	5	("4490788" "5260945" "5485465" "5506956" "5623482").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2004/12/17 14:40
S102	0	S94 and (backup or (back\$3 adj up) or replicat\$5) near4 (multi\$1cast)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 14:41
S103	314	(backup or (back\$3 adj up) or replicat\$5) near4 (multi\$1cast)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 14:41
S104	156	S103 and (backup or (back\$3 adj up) or replicat\$5) near4 (information or data or database)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 14:49
S105	5	S93 and (redundan\$3) same (multi\$3cast)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 14:43

S106	110	S104 and (secur\$3 or reserv\$6 or establish\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 14:49
S107	36	S104 and (secur\$3 or reserv\$6 or establish\$3) near6 (path or resource or switch)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 16:38
S108	6	("5088032" "5138614" "5519704" "5950135" "6353596" "6425009").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2004/12/17 15:24
S109	0	("6831898").URPN.	USPAT	OR	ON	2004/12/17 15:25
S110	3	backup adj command same result and log	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 15:31
S111	100	backup adj (request or command) and log	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 15:32
S112	3	S110 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 15:42
S113	8	S93 and (backup or (back\$3 adj up) or replicat\$5) near4 (information or data or database) and log	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 15:32

S114	25	(US-20020103982-\$ or US-20010034812-\$ or US-20030135644-\$ or US-20020042866-\$).did. or (US-5673381-\$ or US-5673382-\$ or US-5720026-\$ or US-6035412-\$ or US-6154817-\$ or US-6304980-\$ or US-6353878-\$ or US-6490598-\$ or US-6553401-\$ or US-6662281-\$ or US-6665812-\$ or US-6704849-\$ or US-6771661-\$ or US-6785786-\$ or US-6463454-\$ or US-6130875-\$ or US-5933422-\$ or US-5832197-\$ or US-6831898-\$).did. or (WO-9417474-\$).did. or (EP-680634-\$).did.	US-PGPUB ; USPAT; EPO; DERWENT	OR	ON	2004/12/17 15:38
S115	2	S114 and (log\$4 or report\$3 or record\$3) with (failure or success)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 15:42
S116	712	backup same (log\$4 or report\$3 or record\$3) with (failure or success)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 15:42
S117	479	S116 and @ad<"20010329"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 15:43
S118	95	S117 and S71	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 15:43
S119	7	S93 and (high adj availability) and (secur\$3 or reserv\$6 or establish\$3) near6 (path or resource or switch)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/17 18:16
S120	2	("6101497").PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/17 18:17

S121	2	("6434637").PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/17 18:17
S122	6	("5210866" "5819020" "6065046" "6363462" "6397307" "6411991").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2004/12/17 18:26
S134	2	backup same restor\$3 same (success\$6) and @ad<"20010329"	EPO	OR	ON	2004/12/20 11:55
S135	137	backup same restor\$3 same (success\$6) and @ad<"20010329"	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/20 11:58
S136	7	backup same restor\$3 same determin\$5 near6 (success\$6) and @ad<"20010329"	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/20 12:19
S137	3	backup same determin\$5 near6 restor\$3 same (success\$6) and @ad<"20010329"	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/20 12:09
S138	14	backup and determin\$5 near6 restor\$3 same (success\$6) and @ad<"20010329"	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/20 12:10
S139	68	backup same restor\$3 near6 determin\$5 and @ad<"20010329"	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/12/20 15:36

SEARCH NOTES - INSPEC 12/20/04

Dialing DataStar

[options](#)[logout](#)[feedback](#)[help](#)[databases](#)[easy
search](#)

Advanced Search: INSPEC - 1969 to date (INZZ)

[limit](#)

Search history:

No.	Database	Search term	Info added since	Results	
3	INZZ	data ADJ integrity	unrestricted	6217	show titles
4	INZZ	2 AND 3	various	1	show titles
5	INZZ	backup SAME (restor\$3 OR recover\$3)	unrestricted	741	show titles
6	INZZ	router OR switch	unrestricted	56463	show titles
7	INZZ	5 AND 6	unrestricted	22	show titles
8	INZZ	backup NEAR (information OR data OR database)	unrestricted	697	show titles
10	INZZ	8 AND 7	unrestricted	7	show titles
11	INZZ	fault ADJ tolerant	unrestricted	19784	show titles
12	INZZ	reserv\$6 SAME switch	unrestricted	313	show titles
13	INZZ	11 AND 12	unrestricted	1	show titles

[show all](#) | [hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)Enter your search term(s): [Search tips](#) [whole document](#)Information added since: or: [none](#)
(YYYYMMDD)[search](#)

Select special search terms from the following list(s):

- ☒ Classification codes A: Physics, 0-1
- ☒ Classification codes A: Physics, 2-3
- ☒ Classification codes A: Physics, 4-5
- ☒ Classification codes A: Physics, 6
- ☒ Classification codes A: Physics, 7
- ☒ Classification codes A: Physics, 8
- ☒ Classification codes A: Physics, 9
- ☒ Classification codes B: Electrical & Electronics, 0-5